

Appalachian State University
Mary S. Shook Student Health Service

Request for Administration of Allergy Vaccine
Ordered by non-Student Health Service Physician

To the Student:

The Mary S Shook Student Health Service desires to assist you in receiving allergy medication while you are a student at ASU. We do this by temporarily serving as the agent of your allergist. He/She remains your physician in relation to the condition for which you are being treated. Therefore, we must have detailed information and instructions from your physician in regard to this and covering all circumstances that may arise. It is your physician's and your responsibility to supply the medication to be used.

To the Physician:


This student requests the Mary S. Shook Student Health Service at Appalachian State University to give him/her allergy vaccine prescribed by you. Needles and syringes are supplied by the Health Service. The vaccine is administered by our nurses, and a physician is available whenever vaccine is given, to care for the patient, should any reaction occur. **Decisions must come from you regarding dosage, dosing intervals, and alterations due to the patient's failure to maintain the ordered schedule or to reactions to the vaccine.** Therefore, we need precise information from you and request that you complete the following data sheet. Please return data sheet with orders within 3 weeks. If problems develop that are not answered by the information you give us, we shall contact you for further instructions.

In developing your orders for this student, please keep in mind times, as academic breaks, when your patient will not be at the university and instruct him/her accordingly. Also remember that we require written and signed orders which must be reviewed and updated each year. **We cannot undertake the desensitization process without receiving the enclosed form completed and signed by you.** We, in turn, will give the student a copy of his/her "shot record" when he/she is returning to you.

Vaccine will not be administered if instructions are inadequate. We are not responsible for breakage, loss, or damaged medication.

We look forward to assisting you in caring for your patient.

Thank you for your cooperation,



Robert Ellison, MD MPH
Director - Student Health Service

Patient Information Sheet for Administration of Allergy Vaccine

(Please include shot record with serum)

Due to discrepancy in # of days which define one week please use days only!

NAME: _____ DOB: _____ DATE: _____

1. Last known shot: Date _____ Dose _____ Strength _____

2. Current Frequency of shots: optimum no. of days _____ Minimum # of days _____ Maximum # of days _____

3. Is patient at **MAINTENANCE** or still **BUILDING?** (Circle One)

4. If **building**, increase each dose by _____ ml, every _____ to _____ days until max. dose of _____ ml.
min. to max.

Then:

a) Proceed to next concentration vial, increase each dose by _____ ml every _____ to _____ days until max. dose of _____ ml.
min. to max.

Or

b) Continue at _____ ml every _____ to _____ days.
min. to max.

5. Maximum strength _____ and dose _____ to be given?

6. **New maintenance Vials:** When starting a new maintenance vial: decrease dosage by _____ ml and build back up by _____ ml every _____ to _____ days, until max. dose of _____ ml. Then continue at _____ ml every _____ to _____ days
min. to max. min. to max.

7. **Previous reactions** requiring dosage adjustment? YES NO (Circle One)

If yes, please explain. _____

8. **Premedication:** RECOMMENDED or REQUIRED (circle one)? YES or NO (circle one)

If yes, please explain. _____

9. **Dry Needle technique?** YES or NO (circle one)

10. Waiting time recommended after shots? _____ minutes

Note: a patient receiving an allergy injection at the Student Health Service is required to wait at least 20 minutes after receiving the injection.

11. Instructions for adjustment of dosage following a **local reaction:**

Redness:	Recommended Adjustment
Pea sized (10 mm)	
Dime-sized (15 mm)	
Nickel-sized (20 mm)	
Quarter-sized (25 mm)	
30 mm	
40 mm	
Induration/swelling:	
Pea sized (10 mm)	
Dime-sized (15 mm)	
Nickel-sized (20 mm)	
Quarter-sized (25 mm)	
30 mm	
40 mm	
Other:	

12. **Late shots:** We recognize that sometimes students are unable to keep the recommended shot schedule due to illness, breaks, travel, negligence, or other circumstances. We will not give shots if the student is wheezing or has a lower respiratory infection or if they are febrile. To expedite your patient's care would you please give us instructions for this situation?

CHOOSE AND COMPLETE
WHAT APPLIES TO YOUR PROTOCOLS

Dose change	Minimum number of days since last shot	Maximum number of days since last shot
Continue increasing if below maintenance dose		
Repeat dose		
Decrease dose by .05		
Decrease dose by .1		
Decrease dose by .2		
Decrease dose by .3		
Decrease dose by .4		
Call home doctor for dose		

Cut dose by 25 %		
Cut dose by 50 %		
Cut dose by 75%		
Call home doctor for dose		

Decrease dose by 1 shot increment per <i>days</i> late		
Call home doctor for dose		

Other instructions for late doses: _____

PLEASE NOTE: ASU does NOT do vial testing.

<i>Physician's signature - mandatory</i>	<i>Street Address</i>	<i>City</i>	<i>State</i>	<i>Zip</i>
<i>Physician's Name - Please Print</i>	<i>Telephone Number</i>	<i>Fax Number</i>		

Return form to: Allergy Clinic
 Mary S. Shook Student Health Service
 Appalachian State University
 PO Box 32070/614 Howard St
 Boone, NC 28608-2070
 Phone: 828-262-3100
 Fax: 828-262-6958